

Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223 FAX: 86-510-82720101-8014			
Web : <u>www.dldevelop.com</u>			
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>			
Product name:	Anti-Mouse CD19 Monoclonal Antibody(PerCP		
	Conjugated)		
Catalog:	DL20017F		
Synonyms:	B-lymphocyte antigen CD19,Cd19,Differentiation antigen CD19,CD19		
Background:	CD19 is a 95 kD glycoprotein also known as B4. It is		
	a member of the Ig superfamily, expressed on all		
	pro-B to mature B cells (during development) and		
	follicular dendritic cells. Plasma cells do not express		
	CD19. CD19, in association with CD21 and CD81,		
	forms a molecular complex integral to B cell		
	activation.		
Form: Liquid	Isotype: Rat IgG2a, к		



Size: 25µg/50µg/100µg/200µg		Host: Rat
Reactivity: Mouse		Application: FCM
<b>Concentration:</b> 0.2 mg/mL		Conjugation: PerCP
SwissProt:	P25918	
Buffer:	PBS with 0.05% Proclin300, 1% BSA	

## **Recommended Use:**

Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use. We suggest each investigator should titrate the reagent to obtain optimal results or refer to the dilution we used in the experiment.

## Data:

Mouse splenocytes are stained with Anti-Mouse CD19 Monoclonal Antibody(PercP Conjugated)[Used at 0.05  $\mu$ g/10<sup>6</sup> cells dilution](filled gray histogram). Unstained splenocytes (blank black histogram) are used as control.

## **Storage:**

## **DEVELOP**.

Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.

