

Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-8	FAX: 86-510-82720101-8014		
Web : <u>www.dldevelop.com</u>			
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>			
Product name:	Anti-Human CD19 Monoclonal		
	Antibody(PE/Cyanine5.5 Conjugated)		
Catalog:	DL20196F		
Synonyms:	B-lymphocyte antigen CD19,Cd19,Differentiation		
	antigen CD19,CD19		
Background:	CD19 is a 95 kD type I transmembrane glycoprotein		
	also known as B4. It is a member of the immunoglobulin superfamily expressed on B-cells		
	(from pro-B to blastoid B cells, absent on plasma		
	cells) and follicular dendritic cells. CD19 is involved		
	in B cell development, activation, and differentiation.		
	CD19 forms a complex with CD21 (CR2) and CD81		
	(TAPA-1), and functions as a BCR co-receptor.		
Form: Liquid	<b>Isotype:</b> Mouse IgG1, κ		

## **DEVELOP**

Size: 20 Tests/50 Tests/100		Host: Mouse	
Tests/200 Tests			
Reactivity: Human		<b>Application:</b> FCM	
Concentration:		<b>Conjugation:</b> PE/Cyanine5.5	
SwissProt:	P15391		

**Recommended Use:** 

Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. The amount of the reagent is suggested to be used 5  $\mu$ L of antibody per test (million cells in 100  $\mu$ l staining volume or per 100  $\mu$ l of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

PBS with 0.05% Proclin300, 1% BSA

## **Storage:**

**Buffer:** 

Keep as concentrated solution.

Store at  $2 \sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.