

Manufacturer/S	upplier:		
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223 FAX: 86-510-82720101-8014			
Web : <u>www.dldevelop.com</u>			
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>			
Product name:	Anti-Human CD56 Monoclonal Antibody(FITC		
	Conjugated)		
Catalog:	DL20212F		
Synonyms:	Neural cell adhesion molecule 1,NCAM1,N-CAM-1,NCAM-1,NCAM		
<b>Background:</b>	CD56 is a single transmembrane glycoprotein also		
	known as NCAM (neural cell adhesion molecule),		
Leu-19, or NKH1. It is a member of the Ig			
superfamily. The 140 kD isoform is expressed on NK			
and NKT cells. CD56 is also expressed in the brain			
	(cerebellum and cortex) and at neuromuscular		
	junctions. Certain large granular lymphocyte (LGL)		
	leukemias, small-cell lung carcinomas, neuronal		
	derived tumors, myelomas, and myeloid leukemias		
	also express CD56. CD56 plays a role in homophilic		

www.dldevelop.com



and heterophilic adhesion via binding to itself or heparan sulfate.

Form: Liquid		<b>Isotype:</b> Mouse IgG2a, κ
Size:		Host: Mouse
20Tests/50Tests/1	00Tests/200Test	
S		
Reactivity: Human		<b>Application:</b> FCM
<b>Concentration:</b>		Conjugation: FITC
SwissProt:	P13591	
Buffer:	PBS with 0.05% Proclin300, 1% BSA	

## **Recommended Use:**

Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. The amount of the reagent is suggested to be used 5  $\mu$ L of antibody per test (million cells in 100  $\mu$ L staining volume or per 100  $\mu$ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

## Data:

Human peripheral blood lymphocytes are stained with Anti-Human



CD56 Monoclonal Antibody(FITC Conjugated)(filled gray histogram). Unstained lymphocytes (empty black histogram) are used as control.

## **Storage:**

Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.

