

Manufacturer/Su	ıpplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223 FAX: 86-510-82720101-8014				
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name:	Anti-Human CD86 Monoclonal			
	Antibody(PE/Cyanine5 Conjugated)			
Catalog:	DL20257F			
Synonyms:	T-lymphocyte activation antigen CD86,Cd86,Activation B7-2 antigen,Early T-cell			
	costimulatory molecule 1,ETC-1			
Background:	CD86 is an 80 kD immunoglobulin superfamily			
8	member also known as B7-2, B70, and Ly-58. CD86			
	is expressed on activated B and T cells,			
	monocytes/macrophages, dendritic cells, and			
astrocytes. CD86, along with CD80, is the ligand of				
	CD28 and CD152 (CTLA-4). CD86 is expressed			
	earlier in the immune response than CD80. CD86 has			
	also been shown to be involved in immunoglobulin			
	class-switching and triggering of NK cell-mediated			
	0 00 0 00000			



cytotoxicity. CD86 binds to CD28 to transduce		
costimulatory signals for T cell activation,		
proliferation, and cytokine production. CD86 can		
bind to CD152 as well, also known as CTLA-4, to		
deliver an inhibitory signal to T cells.		

Form: Liquid		<b>Isotype:</b> Mouse IgG1, κ
Size: 20Tests/100Tests/	100Tests×2	Host: Mouse
Reactivity: Human		Application: FCM
<b>Concentration:</b> 5 µL		Conjugation: PE/Cyanine5
SwissProt:	P42081	
Buffer:	Phosphate buffered solution, pH 7.2, containing	

## **Recommended Use:**

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5  $\mu$ L of antibody per test (million cells in 100  $\mu$ L staining volume or per 100  $\mu$ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined

0.09% stabilizer and 1% protein protectant.

## **DEVELOP**

for individual use.

## **Storage:**

Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.

