

Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223 FAX: 86-510-82720101-8014			
Web : <u>www.dldevelop.com</u>			
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>			
Product name:	Anti-Mouse CD3 Monoclonal Antibody(PE/Cyanine5.5 Conjugated)		
Catalog:	DL20282F		
Synonyms:	T-cell surface glycoprotein CD 3epsilon/delta/gamma/zeta		
	chain,CD3E/D/G/Z,CD3e/d/g/z,CD3E/D/G/Z,CD3		
Background:	CD3, also known as T3, is a member of the Ig		
superfamily and primarily expressed on T cells,			
	NK-T cells, and at different levels on thymocytes during T cell differentiation. CD3 is composed of		
	CD3 ϵ , δ , γ and ζ chains. It forms a TCR complex by		
	associating with TCR α/β or γ/δ chains. CD3 plays a critical role in TCR signal transduction, T cell activation, and antigen recognition by binding the		
	peptide/MHC antigen complex.		



Form: Liquid		Isotype: Rat IgG2b, κ	
Size: 25µg/100µg		Host: Rat	
Reactivity: Mouse		Application: FCM	
Concentration: 0.2 mg/mL		Conjugation: PE/Cyanine5.5	
SwissProt:	P04235,P11942,F	22646,P24161,P29020	
Buffer:	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.		

Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use. We suggest each investigator should titrate the reagent to obtain optimal results [The recommended concentration is 0.1-1 μ g/10⁶cells in 100 μ L volume].

Storage:

Keep as concentrated solution.



Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.

