

Manufacturer/Su	ıpplier:		
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223 FAX: 86-510-82720101-8014			
Web : <u>www.dldevelop.com</u>			
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>			
Product name:	Anti-Human/Mouse/Rat CD47 Monoclonal		
	Antibody(PerCP/Cyanine5.5 Conjugated)		
Catalog:	DL20303F		
Synonyms:	Leukocyte surface antigen		
	CD47,Cd47,Integrin-associated protein,IAP		
Background:	CD47, also known as Integrin-Associated Protein		
	(IAP), is a membrane protein of about 50 kD with an		
IgV-like extracelluluar domain, a five			
membrane-spanning segment and a short terminal			
cytoplasmic region. It is widely expressed on many			
cell types and often associated with beta 3 integrins.			
	It has been reported that CD47 functions as a self		
marker. Red cells lacking CD47 were rapidly cleared			
	from the bloodstream by splenic macrophages. By		
	binding to SIRPa, CD47 controls hemostatic innate		



immune functions, such as phagocytosis and cell trafficking.

Form: Liquid		Isotype: Mouse IgG1, κ
Size: 20Tests/100Tests/	/100Tests×2	Host: Mouse
Reactivity: Human, Mouse, Rat		Application: FCM
Concentration: 5 µL		Conjugation: PerCP/Cyanine5.5
SwissProt:	Q08722,Q61735,P97829	
Buffer:	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.	

Recommended Use:


Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per 100 μ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

Data:

C57BL/6 murine splenocytes are stained with



Anti-Human/Mouse/Rat CD47 Monoclonal Antibody(PerCP/Cyanine5.5 Conjugated)(filled gray histogram). Unstained splenocytes (empty black histogram) are used as control.



Storage:

Keep as concentrated solution.

Store at $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.

