

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: AF/LE Purified Anti-Mouse CD48 Monoclonal

Antibody

Catalog: DL20316F

Synonyms: CD48 antigen, Cd48, BCM1 surface

antigen, BLAST-1, HM48-1, MRC OX-45 surface

antigen, SLAMF2, sgp-60, CD48

Background: CD48 is a 45 kD GPI-anchored glycoprotein also

> known as BCM1, Blast-1 (human), and OX-45 (rat). It is a member of the Ig superfamily, expressed on T and B cells and monocytes/macrophages. It plays a role in adhesion and T cell recognition. The primary

ligands for CD48 are CD2 and CD244.

Form: Liquid **Isotype:** Armenian Hamster IgG



Size: $50\mu g/500\mu g/1mg$ Host: Armenian Hamster

Reactivity: Mouse Application: Block, FCM, IHC, IP

Concentration: 0.5 mg/mL Conjugation: None (Purified

antibody, Azide Free/Low

endotoxin)

SwissProt: P18181

0.2 µm filtered in PBS, pH 7.2. Azide Free (AF)/Low **Buffer:**

Endotoxin (LE): Contains no stabilizers or

Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is $\leq 0.25 \mu g$ per 10^6 cells in 100 μL volume or 100 μL of whole blood. It is recommended that the reagent be titrated for optimal performance for each application.

Storage:

Keep as concentrated solution.

Store at $2\sim8^{\circ}$ C. Do not freeze.

This product is guaranteed up to one year from purchase.