

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Anti-Mouse CD209b Monoclonal Antibody(Biotin

Conjugated)

Catalog: DL20385F

Synonyms: CD209 antigen-like protein

> B,Cd209b,DC-SIGN-related protein 1,DC-SIGNR1,OtB7,CD209,Cd209b

Background: CD209B, also known as SIGN-R1, is a mouse C-type

lectin receptor predominantly expressed on

macrophages in the spleen marginal zone and lymph nodes medulla. CD209B is a mouse homolog of human CD209/DC-SIGN and is involved in innate immune response. CD209B mediates the recognition

and uptake of pathogen products, such as lipopolysaccharides (LPS), pneumococcal

polysaccharides, and dextrans. CD209B has been



demonstrated to facilitate the clearance of encapsulated pneumococcus by directly binding to Clq and activating complement through an immunoglobulin independent pathway.

Form: Liquid **Isotype:** Armenian Hamster IgG

Size: 25µg/100µg Host: Armenian Hamster

Reactivity: Mouse **Application:** FCM

Concentration: 0.5 mg/mL Conjugation: Biotin

SwissProt: **O8CJ91**

Buffer: Phosphate buffered solution, pH 7.2, containing

0.09% stabilizer and 1% protein protectant.

Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is $\leq 1.0 \,\mu g$ per 10^6 cells in $100 \,\mu L$ volume or $100 \,\mu L$ of whole blood. It is recommended that the reagent be titrated for optimal performance for each application.



Storage:

Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.