

Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223 FAX: 86-510-82720101-8014			
Web : <u>www.dldevelop.com</u>			
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>			
Product name:	Anti-Mouse CD122 Monoclonal Antibody(PE		
	Conjugated)		
Catalog:	DL20471F		
C			
Synonyms:	Interleukin-2 receptor subunit beta,Il2rb,IL-2 receptor subunit beta, IL-2R subunit beta,IL-2RB,High affinity IL-2		
	receptor subunit beta,p70-75,CD122		
Background:	CD122 is a 70-75 kD IL-2 receptor β chain also		
	known as IL-2R β , which is also shared by the IL-15		
receptor. It is constitutively expressed by NK cells			
	and at lower levels by T cells, B cells, monocytes,		
	and macrophages. The IL-2R β chain can combine		
	with either the common γ subunit (γ c, CD132) alone		
	or with the γc subunit and the IL-2R α subunit		
	(CD25) to generate intermediate or high affinity IL-2		
	· · · · · · · · · · · · · · · · · · ·		



	receptor complexes, respectively. CD122 expression		
	levels can be upregulated by activation. The 5H4		
	antibody does not block IL-2 binding to the IL-2		
	receptor. CD122 is expressed on murine, but not		
	human, CD8+ Tregs involved in the maintenance of		
	T cell homeostasis.		
Form: Liquid		Isotype: Rat IgG2a, κ	
Size: 25µg/100µg		Host: Rat	
Reactivity: Mouse		Application: FCM	
		~	
Concentration: 0.2 mg/mL		Conjugation: PE	
SwissProt:	P16297		
Swissriot:	P10297		
Buffer:	Phosphate buffered solution, pH 7.2, containing		
	0.09% stabilizer and 1% protein protectant.		
	0.0770 stabilizer and 170 protein protectant.		

Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use. We suggest each investigator should titrate the reagent to



obtain optimal results [The recommended concentration is 0.1-1 μ g/10⁶cells in 100 μ L volume].

Storage:

Keep as concentrated solution.

Store at $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.

