

## Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

**Web**: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Purified Anti-Human CD49d Monoclonal Antibody Product name:

DL20592F **Catalog:** 

**Synonyms:** Integrin alpha-4,ITGA4,CD49 antigen-like family

member D, Integrin alpha-IV, VLA-4 subunit

alpha,CD49d

**Background:** CD49d is a 150 kD α integrin chain known as α4

> integrin or VLA-4 α chain. It forms a heterodimer with either integrin  $\beta$ 1 ( $\alpha$ 4 $\beta$ 1, VLA-4) or  $\beta$ 7 ( $\alpha$ 4 $\beta$ 7). CD49d is expressed broadly on T lymphocytes, B lymphocytes, monocytes, thymocytes, eosinophils, basophils, mast cells, NK cells, dendritic cells, and some non-hematopoietic cells, but not on normal red blood cells, platelets or neutrophils. VLA-4 binds to

VCAM-1 (CD106) and fibronectin.  $\alpha 4\beta 7$  is the receptor for VCAM-1 and MAdCAM-1. CD49d



participates in mononuclear cell trafficking to endothelial sites of inflammation and has roles in cell-cell interactions and cell adhesion to extracellular matrices. CD49d is involved in lymphocyte migration, T cell activation, and hematopoietic stem cell differentiation. CD49d is a marker to isolate pure populations of Treg cells due to its absence on Foxp3+ cells.

Form: Liquid **Isotype:** Mouse IgG1, κ

**Size:** 25 µg/100 µg Host: Mouse

**Reactivity:** Human **Application:** FCM,IHC,IP

**Concentration:** 0.5 mg/mL Conjugation: Unconjugated

SwissProt: P13612

**Buffer:** PBS with 0.05% Proclin300

## Recommended Use:

Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is  $\leq 1$  µg per



106 cells in 100 μl volume or 100 μl of whole blood. It is recommended that the reagent be titrated for optimal performance for each application.

## **Storage:**

Keep as concentrated solution.

Store at  $2\sim8$ °C. Do not freeze.

This product is guaranteed up to one year from purchase.