

Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-8	FAX: 86-510-82720101-8014		
Web : <u>www.dldevelop.com</u>			
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>			
Product name:	Anti-Human CD5 Monoclonal		
	Antibody(PE/Cyanine5.5 Conjugated)		
Catalog:	DL20612F		
Synonyms:	T-cell surface glycoprotein CD5,CD5,Lymphocyte		
	antigen T1/Leu-1,LEU1		
Background:	CD5 is a 67 kD single chain type I glycoprotein also		
Dackground.			
	known as Leu-1, Ly-1 and T1. It is a member of the scavenger receptor superfamily found on T cells,		
	thymocytes, B cell subsets, chronic B lymphocytic		
	leukemia (B-Cells), and peripheral blood dendritic		
	cells. CD5 modulates T and B cell receptor signaling,		
	thymocyte maturation, and T-B cell interactions upon		
	binding to ligands such as CD72.		
Form: Liquid	Isotype: Mouse IgG1, κ		

DEVELOP

Size: 20Tests/100Tests/	/100Tests×2	Host: Mouse
Reactivity: Human		Application: FCM
Concentration: 5 µL		Conjugation: PE/Cyanine5.5
SwissProt:	P06127	
Buffer:	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.	

Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per 100 μ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

Storage:

Keep as concentrated solution.

Store at $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.



This product is guaranteed up to one year from purchase.

