

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road, Liangxi District
Wuxi Jiangsu Province, China

TELE: 86-510-82732223

FAX: 86-510-82720101-8014

Web : www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Anti-Human CD53 Monoclonal
Antibody(PE/Cyanine5 Conjugated)

Catalog: DL20622F

Synonyms: Leukocyte surface antigen CD53, CD53, Cell surface
glycoprotein
CD53, Tetraspanin-25, Tspan-25, MOX44, TSPAN25

Background: CD53 is a 35-42 kD type III tetraspan membrane protein. It is expressed on all leukocytes, but not on platelets or erythrocytes. CD53 is thought to be involved in signal transduction. It has been shown to interact with a number of proteins including IL-4, CD20, CD2, CD9, IL-2, VLA-4, and CD4. Cross-linking of CD53 promotes B cell activation. The CD53 antigen is highly glycosylated and treatment with endoglycosidase F reduces the

apparent molecular weight of this protein by approximately 25 kD.

Form: Liquid

Isotype: Mouse IgG2a, κ

Size: 20 Tests/50 Tests/100 Tests/200 Tests

Host: Mouse

Reactivity: Human

Application: FCM

Concentration:

Conjugation: PE/Cyanine5

SwissProt: P19397

Buffer: PBS with 0.05% Proclin300, 1% BSA

Recommended Use:

Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ l staining volume or per 100 μ l of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

Storage:



Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.