

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Pro	vince, China			
TELE: 86-510-8	2732223 FAX: 86-510-82720101-8014			
Web : www.dldev	<u>velop.com</u>			
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
Product name:	Anti-Human CD54 Monoclonal			
	Antibody(PerCP/Cyanine5.5 Conjugated)			
Catalog:	DL20637F			
Synonyms:	Intercellular adhesion molecule			
	1,Icam1,MALA-2,MyD10,CD54,Icam-1			
Background:	d: CD54 is a 85-110 kD type I transmembrane protein			
also known as ICAM-1. It is expressed on activate				
endothelial cells, high endothelial venules, T and B cells, monocytes/macrophages, granulocytes, and dendritic cells. The expression of ICAM-1 can be				
				released from the cell surface. CD54 plays a role in
				cellular adhesion and is involved in inflammation
	and leukocyte extravasation. CD54 has also been			
	shown to be the major cellular receptor for			
	rhinovirus. ICAM-1 binds to CD11a/CD18 (LFA-1),			



CD11b/CD18 (Mac-1), CD11c/CD18 (p150, 95) as well as hyaluronan and fibrinogen.

Form: Liquid		Isotype: Mouse IgG1, ĸ		
Size:		Host: Mouse		
20Tests/100Te	sts/100Tests×2			
Reactivity: Human		Application: FCM		
Concentration: 5 µL		Conjugation: PerCP/Cyanine5.5		
SwissProt:	P05362			
Buffer:	-	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.		

Recommended Use:


Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per 100 μ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

Data:

Human peripheral blood lymphocytes are stained with



Anti-Human CD54 Monoclonal Antibody(PerCP/Cyanine5.5 Conjugated)(filled gray histogram). Unstained lymphocytes (empty black histogram) are used as control.



Storage:

Keep as concentrated solution.

Store at $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.

