

## Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Anti-Human CD22 Monoclonal Antibody(AF647

Conjugated)

**Catalog:** DL20675F

**Synonyms:** B-cell receptor CD22,Cd22,B-lymphocyte cell

> adhesion molecule, BL-CAM, Sialic acid-binding Ig-like lectin 2, Siglec-2, T-cell surface antigen

Leu-14,CD22,Lyb-8, Siglec2

**Background:** CD22 is a 130 kD type I transmembrane glycoprotein

> also known as Siglec-2 and BL-CAM. It is a member of the immunoglobulin superfamily (sialoadhesion subgroup). CD22 is expressed in the cytoplasm of pro-B and pre-B cells, and on the surface of mature B and activated B cells, but not on plasma cells. CD22

is present in the B cell receptor complex and associates with SHP-1, Syk, Lck, Lyn, and



phospholipase Cy1. A primary function of CD22 is thought to be in limiting antigen receptor signaling by modulating B cell activation threshold. CD22 has been shown to bind to CD45RO and CD75, although the natural ligands for this molecule remain controversial.

Form: Liquid **Isotype:** Mouse IgG1, κ

Size: 20 Tests/50 Tests/100 Host: Mouse

Tests/200 Tests

**Reactivity:** Human **Application:** FCM

Concentration: **Conjugation:** AF647

SwissProt: P20273

PBS with 0.05% Proclin300, 1% BSA Buffer:

## Recommended Use:

Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. The amount of the reagent is suggested to be used 5 µL of antibody per test (million cells in 100 µl staining volume or per 100 µl of whole blood). Please check your vial before the experiment. Since applications vary, the



appropriate dilutions must be determined for individual use.

## Data:

Human peripheral blood lymphocytes are stained with Anti-Human CD22 Monoclonal Antibody(AF647 Conjuaged)(filled gray histogram) or isotype control(empty black histogram).

## **Storage:**

Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.