

## Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Anti-Human CD31 Monoclonal Antibody(Biotin

Conjugated)

**Catalog:** DL20689F

**Synonyms:** Platelet endothelial cell adhesion

molecule, PECAM1, PECAM-1, EndoCAM, GPIIA', P

ECA1,CD31

**Background:** CD31 is a 130-140 kD type I transmembrane

> glycoprotein also known as platelet endothelial cell adhesion molecule-1 (PECAM-1) or Endocam. It is expressed on monocytes, platelets, granulocytes, endothelial cells and lymphocyte subsets. CD31 has been reported to bind CD38 and be involved in

> wound healing, angiogenesis, and cellular migration

in an inflammatory situation.



Form: Liquid **Isotype:** Mouse IgG1, κ

**Size:**  $25 \mu g/100 \mu g$ Host: Mouse

**Reactivity:** Human **Application:** FCM

**Concentration:** 0.5 mg/mL Conjugation: Biotin

SwissProt: P16284

PBS with 0.05% Proclin300, 1% BSA **Buffer:** 

## Recommended Use:

Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is  $\leq 2.0 \mu g$  per 106 cells in 100 μl volume or 100 μl of whole blood. It is recommended that the reagent be titrated for optimal performance for each application.

## **Storage:**

Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.