

Manufaatuwan/Sa			
Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223 FAX: 86-510-82720101-8			
Web : <u>www.dldevelop.com</u>			
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>			
Product name:	duct name: Anti-Human CD31 Monoclonal		
	Antibody(PE/Cyanine5 Conjugated)		
Catalog:	DL20694F		
Synonyms:	Platelet endothelial cell adhesion		
	molecule,PECAM1,PECAM-1,EndoCAM,GPIIA',P		
	ECA1,CD31		
Background:	CD31 is a 130-140 kD type I transmembrane		
	glycoprotein also known as platelet endothelial cell		
	adhesion molecule-1 (PECAM-1) or Endocam. It is		
	expressed on monocytes, platelets, granulocytes,		
	endothelial cells and lymphocyte subsets. CD31 has		
	been reported to bind CD38 and be involved in		
wound healing, angiogenesis, and cellular migration			



Form: Liquid		Isotype: Mouse IgG1, κ
Size: 20 Tests/50 Tests/100 Tests/200 Tests		Host: Mouse
Reactivity: Human		Application: FCM
Concentration:		Conjugation: PE/Cyanine5
SwissProt:	P16284	
Buffer:	PBS with 0.05% Proclin300, 1% BSA	

Recommended Use:

Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ l staining volume or per 100 μ l of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

Storage:

Keep as concentrated solution.

Store at $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.



This product is guaranteed up to one year from purchase.

