

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Anti-Human CD11a Monoclonal

Antibody(PE/Cyanine7 Conjugated)

Catalog: DL20731F

Synonyms: Integrin alpha-L,Itgal,CD11 antigen-like family

member A,LFA-1A,Lymphocyte antigen

15,Ly-15,CD11a

Background: CD11a is a 170-180 kD type I transmembrane

> glycoprotein also known as LFA-1α chain and integrin αL subunit. CD11a non-covalently

associates with integrin β2 (CD18) to form LFA-1. It is expressed on all leukocytes, including B and T lymphocytes, monocytes, macrophages, neutrophils,

basophils and eosinophils. It is absent on

non-hematopoietic tissues and platelets. CD11a plays a central role in leukocyte cell-cell interactions and is



important in lymphocyte costimulation. CD11a/CD18 binds to ICAM-1 (CD54), ICAM-2 (CD102), and ICAM-3 (CD50).

Form: Liquid **Isotype:** Mouse IgG1, κ

Host: Mouse Size: 20 Tests/50 Tests/100

Tests/200 Tests

Reactivity: Human **Application:** FCM

Concentration: Conjugation: PE/Cyanine7

SwissProt: P20701

Buffer: PBS with 0.05% Proclin300, 1% BSA

Recommended Use:

Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. The amount of the reagent is suggested to be used 5 µL of antibody per test (million cells in 100 µL staining volume or per 100 µL of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.



Storage:

Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.