

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Anti-Human CD35 Monoclonal Antibody(APC Product name:

Conjugated)

Catalog: DL20800F

Synonyms: Complement receptor type 1,CR1,C3b/C4b

receptor, CD35, CR1, C3BR

Background: CD35 is a type I single chain of glycoprotein, also

known as C3b/C4b receptor, Complement Receptor

type 1 or CR1. Four molecular weight allotypes (160kD, 190kD, 220kD, and 250kD) have been described. CD35 is expressed on granulocytes, monocytes, B cells, erythrocytes, and follicular dendritic cells, as well as subsets of NK and T cells.

CD35 binds complement C3b, C4b, or iC3, and iC4, and plays important roles in both innate and adoptive

immune response via mediating phagocytosis by



granulocytes and monocytes. CD35 has also been reported to inhibit T- cell proliferation.

Form: Liquid **Isotype:** Mouse IgG1, κ

Size: **Host:** Mouse

20Tests/100Tests/100Tests×2

Application: FCM **Reactivity:** Human

Concentration: 5 µL **Conjugation:** APC

SwissProt: P17927

Buffer: Phosphate buffered solution, pH 7.2, containing

0.09% stabilizer and 1% protein protectant.

Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μL of antibody per test (million cells in 100 μL staining volume or per 100 μL of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.



Storage:

Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.