

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Anti-Human CD7 Monoclonal

Antibody(PE/Cyanine7 Conjugated)

Catalog: DL20855F

Synonyms: T-cell antigen CD7, CD7, GP40, T-cell leukemia

antigen, T-cell surface antigen Leu-9, TP41, TP41

Background: CD7 is a 40 kD type I transmembrane glycoprotein

also known as gp40. It is a member of the

immunoglobulin superfamily found on T cells, NK cells, thymocytes, hematopoietic progenitors, and monocytes (weakly). CD7 is also expressed on acute

lymphocytic leukemia (ALL) and some acute myeloid leukemia (AML) cells. CD7 crosslinking induces a calcium flux in T lymphocytes, presumably as a result of cytoplasmic domain association with PI3-kinase. CD7 costimulation can induce cytokine



secretion and modulate cellular adhesion.

Form: Liquid **Isotype:** Mouse IgG1, κ

Size: 20 Tests/50 Tests/100 Host: Mouse

Tests/200 Tests

Reactivity: Human **Application:** FCM

Concentration: Conjugation: PE/Cyanine7

SwissProt: P09564

PBS with 0.05% Proclin300, 1% BSA Buffer:

Recommended Use:

Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. The amount of the reagent is suggested to be used 5 µL of antibody per test (million cells in 100 µl staining volume or per 100 µl of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

Data:

Human peripheral blood lymphocytes are stained with Anti-Human CD4 Monoclonal Antibody(APC Conjugated) and Anti-Human CD7 Monoclonal Antibody(PE/Cyanine7



Conjugated)(Left).lymphocytes stained with Anti-Human CD4 Monoclonal Antibody(APC Conjugated) and Mouse IgG1 Isotype Control PE/Cy7(Right) are used as control.

Storage:

Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.