

## Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Anti-Human CD81 Monoclonal Antibody(Biotin

Conjugated)

**Catalog:** DL20871F

**Synonyms:** CD81 antigen, CD81, 26 kDa cell surface protein

> TAPA-1, Target of the antiproliferative antibody 1.Tetraspanin-28,Tspan-28,APA1, TSPAN28

**Background:** CD81 is a 26 kD non-glycosylated member of the

> tetraspanin superfamily (TM4SF), also known as TAPA-1 (target of an antiproliferative antibody). CD81 is expressed on T and B cells, NK cells, monocytes, dendritic cells, thymocytes, endothelial cells, and fibroblasts. It also has low levels of expression on granulocytes. CD81 induces B cell adhesion via VLA-4 integrin and has been shown to

play a role in early T cell development. CD81



associates with several other cell- surface proteins in a multimolecular complex, including CD19, CD21, CD20, CD37, CD53, and CD82 in B cells, and CD4, CD8 and CD82 in T cells.

Form: Liquid **Isotype:** Mouse IgG1, κ

**Size:** 25 μg/100 μg Host: Mouse

**Reactivity:** Human **Application:** FCM

**Concentration:** 0.5 mg/mL **Conjugation:** Biotin

**SwissProt:** P60033

**Buffer:** PBS with 0.05% Proclin300, 1% BSA

## Recommended Use:

Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is  $\leq 0.5 \mu g$  per 106 cells in 100 μl volume or 100 μl of whole blood. It is recommended that the reagent be titrated for optimal performance for each application.



## **Storage:**

Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.