

Manufacturer/Su	ıpplier:		
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203	Mingpin CityII,No.8 Xihudong Road.Liangxi District		
Wuxi Jiangsu Pro	vince, China		
TELE: 86-510-82732223 FAX: 86-510-82720101-8014			
Web : www.dldev	velop.com		
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>			
Product name:	Anti-Mouse/Human CD11b Monoclonal		
	Antibody(PerCP/Cyanine5.5 Conjugated)		
Catalog:	DL20943F		
Synonyms:	Integrin alpha-M,Itgam,CD11 antigen-like family member B,CR-3 alpha chain,Leukocyte adhesion receptor MO1,CD11b		
Background:	CD11b is a 170 kD glycoprotein also known as α M integrin, Mac-1 α subunit, Mol, CR3, and Ly-40. CD11b is a member of the integrin family, primarily expressed on granulocytes, monocytes/macrophages, dendritic cells, NK cells, and subsets of T and B cells. CD11b non- covalently associates with CD18 (β 2 integrin) to form Mac-1. Mac-1 plays an important role in cell-cell interaction by binding its ligands ICAM-1 (CD54), ICAM-2 (CD102),		



ICAM-4 (CD242), iC3b, and fibrinogen.

Form: Liquid		Isotype: Rat IgG2b, κ	
Size:		Host: Rat	
50Tests/100Te	sts/100Tests×2		
Reactivity: Human, Mouse		Application: FCM	
Concentration: 5 µL		Conjugation: PerCP/Cyanine5.5	
SwissProt:	P05555,P1121	15	
Buffer:	-	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.	

Recommended Use:


Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per 100 μ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

Data:

C57BL/6 murine bone marrow cells are stained with Anti-Mouse/Human CD11b Monoclonal Antibody(PerCP/Cyanine5.5



Conjugated)(filled gray histogram). Unstained bone marrow cells (empty black histogram) are used as control.



Storage:

Keep as concentrated solution.

Store at $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.

