

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Anti-Mouse/Human CD11b Monoclonal

Antibody(PE/Cyanine5.5 Conjugated)

Catalog: DL20952F

Synonyms: Integrin alpha-M, Itgam, CD11 antigen-like family

member B,CR-3 alpha chain,Leukocyte adhesion

receptor MO1,CD11b

Background: CD11b is a 170 kD glycoprotein also known as αM

integrin, Mac-1 α subunit, Mol, CR3, and Ly-40.

CD11b is a member of the integrin family, primarily expressed on granulocytes, monocytes/macrophages, dendritic cells. NK cells, and subsets of T and B

cells. CD11b non- covalently associates with CD18 (β2 integrin) to form Mac-1. Mac-1 plays an

important role in cell-cell interaction by binding its

ligands ICAM-1 (CD54), ICAM-2 (CD102),



ICAM-4 (CD242), iC3b, and fibrinogen.

Form: Liquid **Isotype:** Rat IgG2b, κ

Size: 25µg/100µg Host: Rat

Reactivity: Human, Mouse **Application:** FCM

Concentration: 0.2 mg/mL Conjugation: PE/Cyanine5.5

P05555,P11215 **SwissProt:**

Phosphate buffered solution, pH 7.2, containing Buffer:

0.09% stabilizer and 1% protein protectant.

Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use. We suggest each investigator should titrate the reagent to obtain optimal results [The recommended concentration is 0.1-1 $\mu g/10^6$ cells in 100 μL volume].

Storage:



Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.