

Manufacturer/Su	ıpplier:		
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Pro	vince, China		
TELE: 86-510-82732223 FAX: 86-510-82720101-8014			
Web : www.dldev	velop.com		
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>			
Product name:	Anti-Mouse/Human CD11b Monoclonal		
	Antibody(PerCP/Cyanine5.5 Conjugated)		
Catalog:	DL20953F		
Synonyms:	Integrin alpha-M,Itgam,CD11 antigen-like family		
	member B,CR-3 alpha chain,Leukocyte adhesion		
	receptor MO1,CD11b		
Background:	CD11b is a 170 kD glycoprotein also known as $\alpha M$		
	integrin, Mac-1 $\alpha$ subunit, Mol, CR3, and Ly-40.		
CD11b is a member of the integrin family, primaril			
	expressed on granulocytes, monocytes/macrophages,		
dendritic cells, NK cells, and subsets of T and B cells. CD11b non- covalently associates with CD18			
			( $\beta$ 2 integrin) to form Mac-1. Mac-1 plays an
important role in cell-cell interaction by binding			
	ligands ICAM-1 (CD54), ICAM-2 (CD102),		



ICAM-4 (CD242), iC3b, and fibrinogen.

Form: Liquid		Isotype: Rat IgG2b, κ
Size: 25µg/100µg		Host: Rat
Reactivity: Human, Mouse		Application: FCM
Concentration: 0.2 mg/mL		Conjugation: PerCP/Cyanine5.5
SwissProt:	P05555,P11215	
Buffer:	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.	

## **Recommended Use:**


Each lot of this antibody is quality control tested by flow cytometric analysis. Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use. We suggest each investigator should titrate the reagent to obtain optimal results [The recommended concentration is 0.1-1  $\mu$ g/10<sup>6</sup>cells in 100  $\mu$ L volume].

## Data:

C57BL/6 murine bone marrow cells are stained with Anti-Mouse/Human CD11b Monoclonal Antibody(PerCP/Cyanine5.5



Conjugated)[Used at 0.05  $\mu$ g/10<sup>6</sup> cells dilution](filled gray histogram). Unstained bone marrow cells (empty black histogram) are used as control.



## Storage:

Keep as concentrated solution.

Store at  $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.

