

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Anti-Human CD41 Monoclonal Antibody(Biotin

Conjugated)

Catalog: DL20986F

Synonyms: Integrin alpha-Iib,ITGA2B,GPalpha

lib,GPIIb,Platelet membrane glycoprotein

Iib,CD41,GP2B, ITGAB

Background: CD41 is a 125/25 kD α subunit of the gpIIb/IIIa

> (CD41/CD61) complex. CD41 is a heterodimer composed of a heavy chain (gpIIbα) and light chain (gpIIbβ) linked by a single disulfide bond. It is a member of the integrin family primarily expressed on

platelets and megakaryocytes. CD41 has been

reported to be involved with platelet aggregation and

platelet attachment to the ECM. CD41/CD61 complex acts as the receptor for fibrinogen,



fibronectin, Von Willebrand factor and thrombin.

Form: Liquid **Isotype:** Mouse IgG1, κ

Size: 25µg/100µg Host: Mouse

Reactivity: Human **Application:** FCM

Concentration: 0.5 mg/mL Conjugation: Biotin

SwissProt: P08514

Phosphate buffered solution, pH 7.2, containing Buffer:

0.09% stabilizer and 1% protein protectant.

Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is $\leq 1.0 \mu g$ per 10^6 cells in $100 \mu L$ volume or $100 \mu L$ of whole blood. It is recommended that the reagent be titrated for optimal performance for each application.

Storage:

Keep as concentrated solution.



Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.