

Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223 FAX: 86-510-82720101-801			
Web : <u>www.dldevelop.com</u>			
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>			
Product name:	Anti-Human CD41 Monoclonal Antibody(APC		
	Conjugated)		
Catalog:	DL20989F		
Synonyms:	Integrin alpha-Iib,ITGA2B,GPalpha Iib,GPIIb,Platelet membrane glycoprotein		
	Iib,CD41,GP2B, ITGAB		
Background:			
(CD41/CD61) complex. CD41 is a heterodimer composed of a heavy chain (gpIIbα) and light chain			
		$(gpIIb\beta)$ linked by a single disulfide bond. It is a	
	member of the integrin family primarily expressed on		
	platelets and megakaryocytes. CD41 has been		
reported to be involved with platelet aggregation and			
	platelet attachment to the ECM. CD41/CD61		
	complex acts as the receptor for fibrinogen,		



fibronectin, Von Willebrand factor and thrombin.

Form: Liquid		<b>Isotype:</b> Mouse IgG1, κ	
Size:		Host: Mouse	
20Tests/100Te	sts/100Tests×2		
Reactivity: Human		<b>Application:</b> FCM	
Concentration: 5 µL		<b>Conjugation:</b> APC	
SwissProt:	P08514		
Buffer:	Phosphate by	Phosphate buffered solution, pH 7.2, containing	

## **Recommended Use:**

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5  $\mu$ L of antibody per test (million cells in 100  $\mu$ L staining volume or per 100  $\mu$ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

0.09% stabilizer and 1% protein protectant.

## **Storage:**

## **DEVELOP**.

Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.

