

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Anti-Human CD41 Monoclonal Antibody(AF647

Conjugated)

Catalog: DL20996F

Synonyms: Integrin alpha-Iib,ITGA2B,GPalpha

lib,GPIIb,Platelet membrane glycoprotein

Iib,CD41,GP2B, ITGAB

Background: CD41 is a 125/25 kD α subunit of the gpIIb/IIIa

> (CD41/CD61) complex. CD41 is a heterodimer composed of a heavy chain (gpIIbα) and light chain (gpIIbβ) linked by a single disulfide bond. It is a member of the integrin family primarily expressed on

platelets and megakaryocytes. CD41 has been

reported to be involved with platelet aggregation and

platelet attachment to the ECM. CD41/CD61 complex acts as the receptor for fibrinogen,



fibronectin, Von Willebrand factor and thrombin.

Form: Liquid **Isotype:** Mouse IgG1, κ

Size: Host: Mouse

20Tests/100Tests/100Tests×2

Reactivity: Human **Application:** FCM

Concentration: 5 µL **Conjugation:** AF647

SwissProt: P08514

Phosphate buffered solution, pH 7.2, containing Buffer:

0.09% stabilizer and 1% protein protectant.

Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μL of antibody per test (million cells in 100 μL staining volume or per 100 μL of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

Storage:



Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.