

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-8	2732223 FAX: 86-510-82720101-8014			
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
Product name:	Anti-Mouse CD103 Monoclonal Antibody(APC			
	Conjugated)			
Catalog:	DL21011F			
_				
Synonyms:	Integrin alpha-E,Itgae,Integrin alpha M290,CD103			
Background:	CD103 is a type I transmembrane glycoprotein			
_	known as αE integrin or Integrin αIEL chain. It			
	belongs to the integrin family and is primarily found			
	on intestinal intraepithelial lymphocytes (IEL).			
	CD103 is also expressed on a subpopulation of			
	lamina propria T cells, epithelial dendritic cells,			
	lamina propria-derived dendritic cells, and a small			
	subset of peripheral lymphocytes. T regulatory cells			
	express high level of CD103. The CD103 expression			
	on lymphocytes can be induced upon activation and			
	TGF- β stimulation. In association with integrin β 7,			
	· · · · · · · · · · · · · · · · · · ·			



	CD103 is expressed as $\alpha E/\beta 7$ heterodimer. Mature		
	CD103 protein can be cleaved into 2 chains, a 150		
	kD (C-terminal) chain and a 25 kD (N-terminal) chain, which remain linked by disulfide bonds. CD103 binds to E-cadherin and mediates homing of lymphocytes to the intestinal epithelium.		
Form: Liquid	Isotype: Rat IgG2a, κ		
Size:	Host: Rat		
50Tests/100Test	ta/100Taata×2		

Size:	Host: Rat
50Tests/100Tests/100Tests×2	
Reactivity: Mouse	Application: FCM
Concentration: 5 µL	Conjugation: APC

SwissProt: Q60677

Buffer: Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.

Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 µL of antibody per test (million cells in 100 µL staining volume or per 100 µL of whole blood). Please check your vial before the experiment.



Since applications vary, the appropriate dilutions must be determined for individual use.

Storage:

Keep as concentrated solution.

Store at $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.

