

Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223 FAX: 86-510-82720101-80			
Web : <u>www.dldevelop.com</u>			
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>			
Product name:	Anti-Mouse CD71 Monoclonal Antibody(APC		
	Conjugated)		
Catalog:	DL21073F		
Synonyms:	Transferrin receptor protein 1,Tfrc,TR,TfR,TfR1,Trfr,CD71		
Background:	CD71 is a 95 kD type II heterodimeric		
	transmembrane glycoprotein that is also known as T9		
	and transferrin receptor. CD71 is expressed on		
	proliferating cells, reticulocytes, and erythroid		
	precursors. Its expression is very low on resting		
	leukocytes. CD71 plays a role in the control of		
	cellular proliferation by facilitating the uptake of iron		
	via ferrotransferrin binding and the recycling of		
	apotransferrin to the cell surface.		



Form: Liquid		Isotype: Rat IgG2a, κ
Size: 25µg/100µg		Host: Rat
Reactivity: Mouse		Application: FCM
Concentration: 0.2 mg/mL		Conjugation: APC
SwissProt:	Q62351	
Buffer:	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.	

## **Recommended Use:**

Each lot of this antibody is quality control tested by flow cytometric analysis. Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use. We suggest each investigator should titrate the reagent to obtain optimal results [The recommended concentration is 0.1-1  $\mu$ g/10<sup>6</sup>cells in 100  $\mu$ L volume].

## **Storage:**

Keep as concentrated solution. Store at 2~8°C and protected from prolonged exposure to light. Do



not freeze.

This product is guaranteed up to one year from purchase.

