

Manufacturer/Su	ıpplier:		
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223 FAX: 86-510-8272010			
Web : <u>www.dldevelop.com</u>			
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>			
Product name:	Anti-Mouse CD71 Monoclonal		
	Antibody(PE/Cyanine5.5 Conjugated)		
Catalog:	DL21076F		
Synonyms:	Transferrin receptor protein		
	1,Tfrc,TR,TfR,TfR1,Trfr,CD71		
Background:	CD71 is a 95 kD type II heterodimeric		
transmembrane glycoprotein that is also known as			
and transferrin receptor. CD71 is expressed on proliferating cells, reticulocytes, and erythroid			
			precursors. Its expression is very low on resting
leukocytes. CD71 plays a role in the control of			
	cellular proliferation by facilitating the uptake of iron		
	via ferrotransferrin binding and the recycling of		
	apotransferrin to the cell surface.		



Form: Liquid		<b>Isotype:</b> Rat IgG2a, κ
Size: 25µg/100µg		Host: Rat
Reactivity: Mouse		Application: FCM
Concentration: 0.2 mg/mL		Conjugation: PE/Cyanine5.5
SwissProt:	Q62351	
Buffer:	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.	

## **Recommended Use:**

Each lot of this antibody is quality control tested by flow cytometric analysis. Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use. We suggest each investigator should titrate the reagent to obtain optimal results [The recommended concentration is 0.1-1  $\mu$ g/10<sup>6</sup>cells in 100  $\mu$ L volume].

## **Storage:**

Keep as concentrated solution. Store at 2~8°C and protected from prolonged exposure to light. Do



not freeze.

This product is guaranteed up to one year from purchase.

