

Manufacturer/S	unnlier				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD					
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District					
Wuxi Jiangsu Province, China					
TELE:       86-510-82732223       FAX:       86-510-82720101-8014					
Web : <u>www.dldevelop.com</u>					
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>					
Product name:	Anti-Mouse CD90.2 Monoclonal Antibody(PE				
	Conjugated)				
Catalog:	DL21084F				
8					
Synonyms:	Thy-1.2 membrane glycoprotein, Thy1.2, Thy-1.2 antigen, CD90.2, Thy-1.2				
Synonyms.					
	antigen, CD 90.2, Thy-1.2				
Background:	CD90.2 is a 25-35 kD immunoglobulin superfamily				
Dackground.	member also known as Thy1.2. It is expressed on				
hematopoietic stem cells and neurons, all					
thymocytes, and peripheral T cells in Thy1.2 bearing mouse strains (Balb/c, CBA/J, C3H/He, C57BL/-, DBA, NZB/-). CD90.2 is a					
			glycosylphosphatidylinositol (GPI)-anchored		
			membrane glycoprotein involved in signal		
	transduction. CD90.2 is involved in costimulation o				
lymphocyte proliferation and induction of					
	-)F) kromennen mun mansnen et				



	hematopoietic stem cells differentiation. CD90.2 has been shown to interact with CD45. The 30H12 antibody has been reported to induce Ca2+ flux in thymocytes and, in combination with antibody against the CD3/TCR complex, promote thymocyte apoptosis and inhibit CD3-mediated proliferative responses of mature T lymphocytes.		
Form: Liquid		Isotype: Rat IgG2b, κ	
Size: 50Tests/100Tests/100Tests×2 Reactivity: Mouse		Host: Rat Application: FCM	
Concentration:	5 μL	Conjugation: PE	
SwissProt:	P01831		
Buffer:	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.		

## **Recommended Use:**


Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5  $\mu$ L of antibody per test (million cells in 100  $\mu$ L staining volume or per



 $100 \ \mu L$  of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

## Data:

C57BL/6 murine splenocytes are stained with Anti-Mouse CD90.2 Monoclonal Antibody(PE Conjugated)(filled gray histogram). Unstained splenocytes (empty black histogram) are used as control.



## **Storage:**

Keep as concentrated solution.

Store at  $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.

www.dldevelop.com