

Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-8	FAX: 86-510-82720101-8014		
Web : <u>www.dldevelop.com</u>			
Email: info@dldevelop.com.cn service@dldevelop.com.cn			
Product name:	Anti-Mouse CD4 Monoclonal		
	Antibody(PE/Cyanine7 Conjugated)		
Catalog:	DL21137F		
Synonyms:	T-cell surface glycoprotein CD4,CD4,T-cell surface		
	antigen T4/Leu-3,CD4		
Background:	CD4 is a 55 kD protein also known as L3T4 or T4. It		
0	is a member of the Ig superfamily, primarily		
expressed on most thymocytes, a subset of T cells, and weakly on macrophages and dendritic cells. It			
			acts as a coreceptor with the TCR during T cell
activation and thymic differentiation by binding			
	MHC class II and associating with the protein tyrosin		
	kinase, lck.		
Form: Liquid	<b>Isotype:</b> Rat IgG2b, κ		

www.dldevelop.com

## **DEVELOP**

Size:		Host: Rat	
50Tests/100Te	sts/100Tests×2		
Reactivity: Mouse		<b>Application:</b> FCM	
Concentration	<b>ι:</b> 5 μL	Conjugation: PE/Cyanine7	
SwissProt:	P06332		
Buffer:	-	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.	

## **Recommended Use:**

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5  $\mu$ L of antibody per test (million cells in 100  $\mu$ L staining volume or per 100  $\mu$ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

## **Storage:**

Keep as concentrated solution.

Store at  $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.



This product is guaranteed up to one year from purchase.

