

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223		FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name:	Anti-Mouse Ly6G Monoclonal Antibody(PE			
	Conjugated)			
Catalog:	DL21312F			
Synonyms:	Lymphocyte antigen 6G,Ly-6G,Ly-6G.1,Ly6g			
Background:	Lymphocyte antigen 6 complex, locus G (Ly-6G), a			
	21-25 kD GPI-anchored protein, is expressed on the			
	majority of myeloid cells in bone marrow and			
	peripheral granu	llocytes.		
Form: Liquid		Isotupoul	Rat IgG2a, κ	
Form: Liquid		Isotype: 1	Kat IgO2a, K	
Size: 25µg/100µg		Host: Rat		
51200 23µ5/100µ5		HUSt. Ru		
Reactivity: Mouse		Applicati	Application: FCM	



Concentration: 0.2 mg/mL

Conjugation: PE

SwissProt: P35461

Buffer:Phosphate buffered solution, pH 7.2, containing
0.09% stabilizer and 1% protein protectant.


Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use. We suggest each investigator should titrate the reagent to obtain optimal results [The recommended concentration is 0.1-1 μ g/10⁶cells in 100 μ L volume].

Data:

Mouse bone marrow cells are stained with Anti-Mouse Ly6G Monoclonal Antibody(PE Conjugated)[Used at $0.02 \mu g/10^6$ cells dilution](filled gray histogram). Unstained bone marrow cells (blank black histogram) are used as control.

DEVELOP



Storage:

Keep as concentrated solution.

Store at $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.

