

Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
2732223FAX: 86-510-82720101-8014			
Web : <u>www.dldevelop.com</u>			
Email: info@dldevelop.com.cn service@dldevelop.com.cn			
Anti-Mouse CD45R/B220 Monoclonal			
Antibody(PE/Cyanine5 Conjugated)			
DL21367F			
B220,CD45,GP180,LCA,T200			
CD45R, also known as B220, is an isoform of CD45.			
It is a member of the protein tyrosine phosphatase			
(PTP) family with a molecular weight of			
approximately 180-240 kD. CD45R is expressed on			
B cells (at all developmental stages from pro-B cells			
through mature B cells), activated B cells, and			
subsets of T and NK cells. CD45R (B220) is also			
expressed on a subset of abnormal T cells involved in			
the pathogenesis of systemic autoimmunity in			
MRL-Faslpr and MRL- Fasgld mice. It plays a			
critical role in TCR and BCR signaling. The primary			



ligands for CD45 are galectin-1, CD2, CD3, and CD4. CD45R is commonly used as a pan-B cell marker; however, CD19 may be more appropriate for B cell specificity.

Form: Liquid		Isotype: Rat IgM		
Size:		Host: Rat		
50Tests/100Te	ests/100Tests×2			
Reactivity: Mouse		Application: FCM		
Concentration: 5 µL		Conjugation: PE/Cyanine5		
SwissProt:	P06800,P08575			
Buffer:	Phosphate buffer	red solution, pH 7.2, containing		
	0.09% stabilizer	0.09% stabilizer and 1% protein protectant.		


Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per 100 μ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

DEVELOP.

Data:

C57BL/6 murine splenocytes are stained with Anti-Mouse CD45R/B220 Monoclonal Antibody(PE/Cyanine5 Conjugated)(filled gray histogram). Unstained splenocytes (empty black histogram) are used as control.



Storage:

Keep as concentrated solution.

Store at $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.