

## Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

**Web**: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Anti-Mouse CD183/CXCR3 Monoclonal

Antibody(APC Conjugated)

**Catalog:** DL21395F

**Synonyms:** C-X-C chemokine receptor type

> 3,Cxcr3,CXC-R3,CXCR-3,Interferon-inducible protein 10 receptor, IP-10 receptor, CD183/CXCR3

**Background:** CD183, also known as CXCR3, is a member of the

> C-X-C chemokine family, characterized by a pair of cysteine residues separated by a single amino acid. CXCR3 is a 38 kD seven pass transmembrane

receptor coupled to G-protein. It mediates Ca2+ mobilization and chemotaxis in response to C-X-C

chemokines, such as IP10 (CXCL10), MIG

(CXCL9), I-TAC (CXCL11) and PF4 (CXCL4).

CXCR3 is expressed primarily on activiated T



lymphocytes, NK cells, and some epithelial cells and endothelial cells. It is not expressed on B cells, monocytes or granulocytes.

Form: Liquid Isotype: Armenian Hamster IgG

Size: Host: Armenian Hamster

 $50 Tests / 100 Tests / 100 Tests \times 2$ 

Reactivity: Mouse Application: FCM

Concentration: 5 µL Conjugation: APC

SwissProt: O88410

**Buffer:** Phosphate buffered solution, pH 7.2, containing

0.09% stabilizer and 1% protein protectant.


## **Recommended Use:**

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5  $\mu$ L of antibody per test (million cells in 100  $\mu$ L staining volume or per 100  $\mu$ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

## Data:



C57BL/6 murine splenocytes are stained with Anti-Mouse CD183/CXCR3 Monoclonal Antibody(APC Conjugated)(filled gray histogram). Unstained splenocytes (empty black histogram) are used as control.



## Storage:

Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.