

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: AF/LE Purified Anti-Mouse CD119 Monoclonal

Antibody

Catalog: DL21411F

Synonyms: Interferon gamma receptor

1, Ifngr1, IFN-gamma-R1, IFN-gamma-R-alpha, CD11

9

Background: CDw119 is a 90 kD immunoglobulin superfamily

> member, also known as IFN-γRα chain. It is a class II cytokine receptor family member that serves as a IFN-γ-binding chain associated with the IFN-γ β chain also known as AF-1. In addition to ligand binding, CDw119 participates in ligand trafficking. CDw119 is expressed on T and B cells, NK cells, fibroblasts, endothelial, and epithelial cells. Binding

of IFN-y induces receptor dimerization,



internalization, Jak1 and Jak2 protein kinase activation and, ultimately, STAT1 activation. IFN-y initiates and regulates a variety of immune responses.

Form: Liquid **Isotype:** Rat IgG2a, κ

Size: 50µg/500µg/1mg Host: Rat

Reactivity: Mouse **Application:** FCM

Concentration: 0.5 mg/mL Conjugation: None (Purified

antibody, Azide Free/Low

endotoxin)

SwissProt: P15261

Buffer: 0.2 µm filtered in PBS, pH 7.2. Azide Free (AF)/Low

Endotoxin (LE): Contains no stabilizers or

Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is $\leq 2.0 \,\mu g$ per 10^6 cells in 100 μL volume or 100 μL of whole blood. It is recommended that the reagent be titrated for optimal performance for each application.



Storage:

Keep as concentrated solution.

Store at 2~8°C. Do not freeze.

This product is guaranteed up to one year from purchase.