

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Anti-Human CD14 Monoclonal

Antibody(PE/Cyanine5.5 Conjugated)

Catalog: DL21469F

Synonyms: Monocyte differentiation antigen

CD14,CD14,Myeloid cell-specific leucine-rich

glycoprotein

Background: CD14 is a 53-55 kD glycosylphosphatidylinositol

> (GPI)-linked membrane glycoprotein that is also known as the LPS receptor. CD14 is expressed at high levels on monocytes and macrophages, and at lower levels on granulocytes. Some dendritic cell populations such as interfollicular dendritic cells, reticular dendritic cells, and Langerhans cells have

also been reported to express CD14. As a

high-affinity receptor for LPS, CD14 is involved in



the clearance of gram-negative pathogens and in the upregulation of adhesion molecules and cytokine expression in monocytes and neutrophils.

Form: Liquid **Isotype:** Mouse IgG1, κ

Host: Mouse Size: 20 Tests/50 Tests/100

Tests/200 Tests

Reactivity: Human **Application:** FCM

Conjugation: PE/Cyanine5.5 **Concentration:**

SwissProt: P08571

Buffer: PBS with 0.05% Proclin300, 1% BSA

Recommended Use:

Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. The amount of the reagent is suggested to be used 5 µL of antibody per test (million cells in 100 µl staining volume or per 100 µl of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.



Storage:

Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.