

Manufacturer/Supplier:	
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD	
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District	
Wuxi Jiangsu Province, China	
TELE: 86-510-8	FAX: 86-510-82720101-8014
Web : <u>www.dldevelop.com</u>	
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>	
Product name:	Anti-Mouse TER-119 Monoclonal
	Antibody(PerCP/Cyanine5.5 Conjugated)
Catalog:	DL21581F
Synonyms:	Ly-76,Lymphocyte antigen 76,TER119
Background:	The TER-119 antigen is a 52 kD glycophorin
	A-associated protein, also known as Ly-76. TER-119
	is an erythroid-specific antigen expressed on early
	proerythroblasts to mature erythrocytes, but not on
	erythroid colony-forming cells (BFU-E,
	blast-forming unit erythroid, or CFU-E,
	colony-forming unit erythroid).
Form: Liquid	Isotype: Rat IgG2b, κ
Size:	Host: Rat



50Tests/100Tests/100Tests×2 Reactivity: Mouse

Application: FCM

Concentration: 5 µL

Conjugation: PerCP/Cyanine5.5

SwissProt:

Buffer:Phosphate buffered solution, pH 7.2, containing
0.09% stabilizer and 1% protein protectant.


Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per 100 μ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

Data:

C57BL/6 murine bone marrow cells are stained with Anti-Mouse TER-119 Monoclonal Antibody(PerCP/Cyanine5.5 Conjugated)(filled gray histogram). Unstained bone marrow cells (empty black histogram) are used as control.

DEVELOP.



Storage:

Keep as concentrated solution.

Store at $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.