

Manufacturer/Su	pplier:
WUXI DONGLIN	SCI&TECH DEVELOPMENT CO., LTD
Address: A1-203	Mingpin CityII,No.8 Xihudong Road.Liangxi District
Wuxi Jiangsu Prov	ince, China
TELE: 86-510-82	FAX: 86-510-82720101-8014
Web : <u>www.dldev</u>	elop.com
Email: info@dldev	elop.com.cn <u>service@dldevelop.com.cn</u>
	Anti-Mouse TER-119 Monoclonal Antibody(PE Conjugated)
	DL21585F
Synonyms:	Ly-76,Lymphocyte antigen 76,TER119
	The TER-119 antigen is a 52 kD glycophorin A-associated protein, also known as Ly-76. TER-119 is an erythroid-specific antigen expressed on early proerythroblasts to mature erythrocytes, but not on erythroid colony-forming cells (BFU-E, blast-forming unit erythroid, or CFU-E, colony-forming unit erythroid).
Form: Liquid	Isotype: Rat IgG2b, κ
Size: 25µg/100µg	Host: Rat



## Reactivity: Mouse

**Application:** FCM

**Concentration:** 0.2 mg/mL

**Conjugation: PE** 

**SwissProt:** 

Buffer:Phosphate buffered solution, pH 7.2, containing<br/>0.09% stabilizer and 1% protein protectant.


## **Recommended Use:**

Each lot of this antibody is quality control tested by flow cytometric analysis. Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use. We suggest each investigator should titrate the reagent to obtain optimal results [The recommended concentration is 0.1-1  $\mu$ g/10<sup>6</sup>cells in 100  $\mu$ L volume].

## Data:

C57BL/6 murine bone marrow cells are stained with Anti-Mouse TER-119 Monoclonal Antibody(PE Conjugated)[Used at 0.2  $\mu$ g/10<sup>6</sup> cells dilution](filled gray histogram). Unstained bone marrow cells (empty black histogram) are used as control.





## Storage:

Keep as concentrated solution.

Store at  $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.