

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Anti-Mouse TER-119 Monoclonal Antibody(APC

Conjugated)

Catalog: DL21586F

Synonyms: Ly-76, Lymphocyte antigen 76, TER119

Background: The TER-119 antigen is a 52 kD glycophorin

A-associated protein, also known as Ly-76. TER-119 is an erythroid-specific antigen expressed on early proerythroblasts to mature erythrocytes, but not on

erythroid colony-forming cells (BFU-E, blast-forming unit erythroid, or CFU-E,

colony-forming unit erythroid).

Form: Liquid Isotype: Rat IgG2b, κ

Size: 25µg/100µg Host: Rat



Reactivity: Mouse **Application:** FCM

Concentration: 0.2 mg/mL **Conjugation:** APC

SwissProt:

Phosphate buffered solution, pH 7.2, containing Buffer:

0.09% stabilizer and 1% protein protectant.


Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use. We suggest each investigator should titrate the reagent to obtain optimal results [The recommended concentration is 0.1-1 $\mu g/10^6$ cells in 100 μL volume].

Data:

C57BL/6 murine bone marrow cells are stained with Anti-Mouse TER-119 Monoclonal Antibody (APC Conjugated) [Used at 0.2 µg/10⁶ cells dilution](filled gray histogram). Unstained bone marrow cells (empty black histogram) are used as control.





Storage:

Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.