

Manufacturer/Supplier:	
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD	
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District	
Wuxi Jiangsu Province, China	
TELE: 86-510-8	2732223 FAX: 86-510-82720101-8014
Web : <u>www.dldevelop.com</u>	
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>	
Product name:	Anti-Mouse TER-119 Monoclonal
	Antibody(PerCP/Cyanine5.5 Conjugated)
Catalog:	DL21590F
C	
Synonyms:	Ly-76,Lymphocyte antigen 76,TER119
e e	
Background:	The TER-119 antigen is a 52 kD glycophorin
	A-associated protein, also known as Ly-76. TER-119
	is an erythroid-specific antigen expressed on early
	proerythroblasts to mature erythrocytes, but not on
	erythroid colony-forming cells (BFU-E,
	blast-forming unit erythroid, or CFU-E,
	colony-forming unit erythroid).
Form: Liquid	Isotype: Rat IgG2b, κ
Size: 25µg/100µg	Host: Rat



Reactivity: Mouse

Application: FCM

Concentration: 0.2 mg/mL

Conjugation: PerCP/Cyanine5.5

SwissProt:

Buffer:Phosphate buffered solution, pH 7.2, containing
0.09% stabilizer and 1% protein protectant.


Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use. We suggest each investigator should titrate the reagent to obtain optimal results [The recommended concentration is 0.1-1 $\mu g/10^6$ cells in 100 μ L volume].

Data:

C57BL/6 murine bone marrow cells are stained with Anti-Mouse TER-119 Monoclonal Antibody(PerCP/Cyanine5.5 Conjugated)[Used at 0.2 μ g/10⁶ cells dilution](filled gray histogram). Unstained bone marrow cells (empty black histogram) are used as control.

DEVELOP.



Storage:

Keep as concentrated solution.

Store at $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.