

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223 FAX: 86-510-82720101-8014				
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
Product name:	Anti-Human CD274/PD-L1 Monoclonal			
	Antibody(FITC Conjugated)			
Catalog:	DL21666F			
Synonyms:	B7-H1, PD-L1,Programmed cell death ligand 1,B7 homolog 1,B7-H, B7H1, PDL1, PDCD1L1, PDCD1LG1			
Background:	CD274, also known as PD-L1 and B7-H1, is type I			
	transmembrane glycoprotein that serves as a ligand			
	for CD279 (PD-1). This interaction is believed to			
	regulate the balance between the stimulatory and			
	inhibitory signals needed for responses to microbes			
	and maintenance of self- tolerance. CD274 is			
	involved in the costimulation of T cell proliferation			
	and IL-10 and IFN-γ production in an			
	IL-2-dependent and CD279-independent manner.			

DEVELOP

Conflicting data has shown that CD274 can inhibit T		
cell proliferation and cytokine production, and		
alternatively, enhance T cell activation. Other studies		
suggest that CD274 may signal bidirectionally,		
raising interesting implications for its expression in a		
wide variety of cell types, including T and B cells,		
antigen- presenting cells, and nonhematopoietic cells.		

Form: Liquid		Isotype: Mouse IgG2b, κ	
Size:		Host: Mouse	
20Tests/100Tests	/100Tests×2		
Reactivity: Human		Application: FCM	
Concentration: 5 µL		Conjugation: FITC	
SwissProt:	Q9NZQ7		
Buffer:	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.		

Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per



 $100 \ \mu L$ of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

Storage:

Keep as concentrated solution.

Store at $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.

