

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Anti-Mouse CD45 Monoclonal

Antibody(PerCP/Cyanine5.5 Conjugated)

Catalog: DL21694F

Receptor-type tyrosine-protein phosphatase **Synonyms:**

C,Ptprc,L-CA,Ly-5,T200,CD45

Background: CD45 is a 180-240 kD glycoprotein also known as

the leukocyte common antigen (LCA), T200, or

Ly-5. It is a member of the protein tyrosine phosphatase (PTP) family, expressed on all

hematopoietic cells except mature erythrocytes and platelets. There are different isoforms of CD45 that arise from alternative splicing of exons 4, 5, and 6,

which encode A, B, and C determinants,

respectively. CD45 plays a key role in TCR and BCR signal transduction. These isoforms are very specific



to the activation and maturation state of the cell as well as cell type. The primary ligands for CD45 are galectin-1, CD2, CD3, CD4, TCR, CD22, and Thy-1.

Form: Liquid Isotype: Rat IgG2b, κ

Size: 25µg/100µg Host: Rat

Reactivity: Mouse Application: FCM

Concentration: 0.2 mg/mL Conjugation: PerCP/Cyanine5.5

SwissProt: P06800

Buffer: Phosphate buffered solution, pH 7.2, containing

0.09% stabilizer and 1% protein protectant.


Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use. We suggest each investigator should titrate the reagent to obtain optimal results [The recommended concentration is 0.1-1 $\mu g/10^6$ cells in 100 μL volume].

Data:



C57BL/6 murine splenocytes are stained with Anti-Mouse CD45 Monoclonal Antibody(PerCP/Cyanine 5.5 Conjugated)[Used at 0.2 μg/10⁶ cells dilution](filled gray histogram). Unstained splenocytes (empty black histogram) are used as control.



Storage:

Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.