

# Manufacturer/Supplier: WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District Wuxi Jiangsu Province, China TELE: 86-510-82732223 FAX: 86-510-82720101-8014 Web : www.dldevelop.com Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Anti-Human CD45RO Monoclonal Antibody(PE Conjugated) Catalog: DL21719F

### Synonyms:

Background: CD45RO is a 180 kD single chain membrane glycoprotein. It is a splice variant of tyrosine phosphatase CD45, lacking the A, B, and C determinants. The CD45RO isoform is expressed on activated and memory T cells, some B cell subsets, activated monocytes/macrophages, and granulocytes. CD45RO enhances both T cell receptor and B cell receptor signaling mediated activation. CD45 and its isoforms non-covalently associate with lymphocyte phosphatase- associated phosphoprotein (LPAP) on T and B lymphocytes. CD45 has been reported to be



associated with several other cell surface antigens		
including CD1, CD2, CD3, and CD4. CD45 has also		
been reported to bind galectin-1 and CD22. CD45		
isoform expression can change in response to		
cytokines.		

Form: Liquid		<b>Isotype:</b> Mouse IgG2a, κ
Size: 20Tests/100Tests/100Tests×2 Reactivity: Human		Host: Mouse
		Application: FCM
Concentration: 5 µL		Conjugation: PE
SwissProt:	P08575	
Duffor	Dhaanhata huffar	ad solution nH 7.2 containing

Buffer:Phosphate buffered solution, pH 7.2, containing<br/>0.09% stabilizer and 1% protein protectant.

#### **Recommended Use:**


Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5  $\mu$ L of antibody per test (million cells in 100  $\mu$ L staining volume or per 100  $\mu$ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined

# **DEVELOP**

for individual use.

## Data:

Human peripheral blood lymphocytes are stained with Anti-Human CD45RO Monoclonal Antibody(PE Conjugated)(filled gray histogram). Unstained lymphocytes (empty black histogram) are used as control.



### Storage:

Keep as concentrated solution.

Store at  $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.