

Manufacturer/Supplier: WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District Wuxi Jiangsu Province, China TELE: 86-510-82732223 FAX: 86-510-82720101-8014 Web : www.dldevelop.com Email: info@dldevelop.com.cn service@dldevelop.com.cn

 Product name:
 Anti-Human CD45RO Monoclonal Antibody(APC Conjugated)

 Catalog:
 DL21720F

Synonyms:

Background: CD45RO is a 180 kD single chain membrane glycoprotein. It is a splice variant of tyrosine phosphatase CD45, lacking the A, B, and C determinants. The CD45RO isoform is expressed on activated and memory T cells, some B cell subsets, activated monocytes/macrophages, and granulocytes. CD45RO enhances both T cell receptor and B cell receptor signaling mediated activation. CD45 and its isoforms non-covalently associate with lymphocyte phosphatase- associated phosphoprotein (LPAP) on T and B lymphocytes. CD45 has been reported to be



associated with several other cell surface antigens
including CD1, CD2, CD3, and CD4. CD45 has also
been reported to bind galectin-1 and CD22. CD45
isoform expression can change in response to
cytokines.

Form: Liquid	Isotype: Mouse IgG2a, κ
Size: 20Tests/100Tests/100Tests×2	Host: Mouse
Reactivity: Human	Application: FCM
Concentration: 5 µL	Conjugation: APC
SwissProt: P08575	

Buffer:Phosphate buffered solution, pH 7.2, containing
0.09% stabilizer and 1% protein protectant.

Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per 100 μ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined

DEVELOP

for individual use.

Storage:

Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.

