

M f 4/6-			
Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223 FAX: 86-510-82720101-8014			
Web : <u>www.dlde</u>	velop.com		
Email: info@dldevelop.com.cn service@dldevelop.com.cn			
Product name:	Anti-Human CD27 Monoclonal		
	Antibody(PE/Cyanine7 Conjugated)		
Catalog:	DL21733F		
Synonyms:	CD27L receptor, T-cell activation antigen		
	CD27,T14,S152,TNFRSF7		
Background:	kground: CD27 is a 50-55 kD type I membrane protein also		
	known as S152 and T14. It is a lymphocyte- specific		
	member of the TNF-receptor superfamily. CD27 is		
expressed on medullary thymocytes, virtually all			
	mature T cells, some B cells, and NK cells. CD27		
	binds to CD70 and plays an important role in		
costimulation of T cell activation, and regulation of			

B cell differentiation and proliferation. The cytoplasmic domains of CD27 have also been shown to interact with TRAF2 and TRAF5 to elicit NF-κB

www.dldevelop.com



and SAPK/JNK activation.

Form: Liquid		Isotype: Mouse IgG1, κ	
Size:		Host: Mouse	
20Tests/100Te	ests/100Tests×2		
Reactivity: Human		Application: FCM	
Concentration: 5 µL		Conjugation: PE/Cyanine7	
SwissProt:	P26842		
Buffer:	-	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.	

Recommended Use:


Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per 100 μ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

Data:

Human peripheral blood lymphocytes are stained with Anti-Human CD27 Monoclonal Antibody(PE/Cyanine7 Conjugated)(filled gray



histogram). Unstained lymphocytes (empty black histogram) are used as control.



Storage:

Keep as concentrated solution.

Store at $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.

