

M				
Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-8	2732223 FAX: 86-510-82720101-8014			
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
Product name:	Anti-Human CD107a/LAMP-1 Monoclonal			
	Antibody(APC Conjugated)			
Catalog:	DL21808F			
Synonyms:	Lysosome-Associated Membrane Protein 1,			
	LGP-120, LAMP-1			
Background:	CD107a, also known as Lysosome-Associated			
	Membrane Protein 1 (LAMP-1) or LGP-120, is a			
110-140 kD type I membrane glycoprotein. Mature				
CD107a is heavily glycosylated from a 40 kD core				
protein. This molecule is located on the luminal side				
of lysosomes. Upon activation, CD107a is transferred				
to the cell membrane surface of activated platelets,				
activated lymphocytes, macrophages, epithelial cells,				
endothelial cells, and some tumor cells. CD107a has				
been suggested to play a role in the protection of				
	seen suggested to play a role in the protection of			



lysosomal membrane from lysosomal hydrolases		
which is involved in cell adhesion and regulation of		
tumor metastasis, and mediates autoimmune disease		
progression. CD107a is a ligand for galaptin and		
E-selectin. Surface expression of LAMP-1 has been		
shown to correlate with CD8+ T cell and NK cell		
cytotoxicity.		

Form: Liquid		Isotype: Mouse IgG1, κ	
Size:		Host: Mouse	
20Tests/100Te	sts/100Tests×2		
Reactivity: Human		Application: FCM	
Concentration: 5 µL		Conjugation: APC	
SwissProt:	P11279		
Buffer:	1	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.	

Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per



 $100 \ \mu L$ of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

Storage:

Keep as concentrated solution.

Store at $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.

