

Manufacturer/Supplier:					
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD					
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District					
Wuxi Jiangsu Province, China					
TELE: 86-510-82732223 FAX: 86-510-82720101-8014					
Web : <u>www.dldevelop.com</u>					
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>					
Product name:	Anti-Human CD127/IL-7RA Monoclonal				
	Antibody(PE/Cyanine5.5 Conjugated)				
Catalog:	DL21820F				
Synonyms:	Interleukin-7 receptor subunit				
	alpha,IL-7RA,CDw127,CD127,IL-7Ra				
Background:	cound: CD127 is a 60-90 kD type I transmembrane				
glycoprotein also known as IL-7 receptor α chain o					
IL-7R α . It forms a heterodimer with the common γ chain (γ c or CD132) which is shared with the receptors for IL-2, IL-4, IL-9, IL-13, IL-15, and					
				IL-21. CD127 is expressed on immature B cells through early pre-B stage cells, thymocytes (except	
	CD4/CD8 double positive thymocytes), peripheral T				
	cells, and bone marrow stromal cells. CD127 has				
	been reported to be a useful marker for identifying				



	memory and effector T cells. Studies have shown that CD127 expression is down- modulated on Treg cells. It can be used as a marker for differentiation of Treg and conventional T cells. The ligation of IL-7 with its receptor is important for stimulation of mature and immature T cells as well as immature B cell proliferation and development.		
Form: Liquid		Isotype: Mouse IgG1, ĸ	
Size:		Host: Mouse	
20Tests/100Tests/100Tests×2			
Reactivity: Human		Application: FCM	
Concentration: 5	μL	Conjugation: PE/Cyanine5.5	
SwissProt:	P16871		
Buffer:	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.		

Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per



 $100 \ \mu L$ of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

Storage:

Keep as concentrated solution.

Store at $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.

