

## Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

**Web**: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Anti-Human CD138 Monoclonal Antibody(FITC

Conjugated)

**Catalog:** DL21827F

**Synonyms:** Syndecan-1, SYND1, SDC1, SDC, CD138

**Background:** CD138, a member of the syndecan protein family, is

a type I integral membrane heparin sulfate

proteoglycan also known as Syndecan-1. Syndecan-1 participates in cell proliferation, cell migration, and cell-matrix adhesion via interaction with collagen, fibronectin, and other soluble molecules (such as FGF-basic). It is expressed on normal and malignant human plasma cells, pre-B cells, epithelial cells, and

endothelial cells

Form: Liquid **Isotype:** Mouse IgG1, κ



Size: 20 Tests/50 Tests/100 Host: Mouse

Tests/200 Tests

**Reactivity:** Human **Application:** FCM

**Concentration: Conjugation: FITC** 

P18827 SwissProt:

Buffer: PBS with 0.05% Proclin300, 1% BSA

## Recommended Use:

Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. The amount of the reagent is suggested to be used 5 µL of antibody per test (million cells in 100 µL staining volume or per 100 µL of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

## **Storage:**

Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.