

unnline			
Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223 FAX: 86-510-82720101-8014			
Web : <u>www.dldevelop.com</u>			
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>			
Anti-Human CD161 Monoclonal Antibody(APC			
Conjugated)			
DL21832F			
CLEC5B, NKRP1A,NKR-P1A,HNKR-P1a,KLRB1			
CD161 is a type II transmembrane glycoprotein, also			
known as NKR-P1A, that is expressed as a 40-44 kD			
homodimer. It is a member of the C-type lectin			
superfamily. CD161 is expressed on a majority of			
NK cells, NKT cells, and subsets of peripheral T			
cells and CD3+ thymocytes. It has been reported that			
Th17 cells are a subpopulation of			
CD4+CD161+CCR6+ cells. While the biological			
function of CD161 is not clear, it has been suggested			
to serve either as a stimulatory receptor or to inhibit			
NK cell-mediated cytotoxicity and cytokine			



production. LLT-1 (lectin-like transcript-1, also named as osteoclast inhibitory lectin or CLEC2D) is the ligand of CD161.

Form: Liquid		<b>Isotype:</b> Mouse IgG1, κ
Size:		Host: Mouse
20Tests/100Tests	/100Tests×2	
Reactivity: Human		<b>Application:</b> FCM
Concentration:	5 µL	Conjugation: APC
SwissProt:	Q12918	
Buffer:	Phosphate buffer	red solution, pH 7.2, containing

## **Recommended Use:**


Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5  $\mu$ L of antibody per test (million cells in 100  $\mu$ L staining volume or per 100  $\mu$ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

0.09% stabilizer and 1% protein protectant.

## Data:



Human peripheral blood lymphocytes are stained with Anti-Human CD4 Monoclonal Antibody(FITC Conjugated) and Anti-Human CD161 Monoclonal Antibody(APC Conjugated)



## Storage:

Keep as concentrated solution.

Store at  $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.

