

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223 FAX: 86-510-82720101-8014				
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
Product name: Anti-Human CD326 Monoclonal Antibody(FITC				
Conjugated)				
DL21864F				
GA733-2,M1S2,M4S1,MIC18,TACSTD1, TROP1				
CD326 is also known as Ep-CAM, tumor associated				
calcium signal transducer 1, epithelial cell surface				
antigen, epithelial glycoprotein 2, EGP2,				
adenocarcinoma associated antigen, and TROP1.				
CD326 is a type I transmembrane protein containing				
six disulfide bridges and one THYRO domain. This				
cell surface glycosylated 40 kD protein is highly				
expressed in bone marrow, colon, lung, and most				
normal epithelial cells and is expressed on				
carcinomas of gastrointestinal origin. Recently, it has				
been reported that CD326 expression occurs during				

www.dldevelop.com



the early steps of erythrogenesis. CD326 functions as
a homotypic calcium-independent cell adhesion
molecule and is believed to be involved in
carcinogenesis by its ability to induce genes involved
in cellular metabolism and proliferation. CD326
antigen is an immunotherapeutic target for the
treatment of human carcinomas.

Form: Liquid		<b>Isotype:</b> Mouse IgG2b, κ
Size:		Host: Mouse
20Tests/100Tests/	100Tests×2	
Reactivity: Human		Application: FCM
Concentration: 5 µL		Conjugation: FITC
SwissProt:	P16422	
Buffer:	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.	

## **Recommended Use:**

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5  $\mu$ L of antibody per test (million cells in 100  $\mu$ L staining volume or per



 $100 \ \mu L$  of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

## **Storage:**

Keep as concentrated solution.

Store at  $2\sim 8^{\circ}$ C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.

